

SAMSUNG LED Monitor

3 Years Warranty



เงื่อนไขการรับประกันจอเป็นจุดของ Samsung Monitor ทุกรุ่น รับเคลมเฉพาะกรณีสินค้าจอที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



LS24C310EAEXXT
SSG-LS24C310EAEXXT



LS27C310EAEXXT
SSG-LS27C310EAEXXT



HAS

LS27A800UJEXXT
SSG-LS27A800UJEXXT



HAS

LS34A650UXEXXT
SSG-LS34A650UXEXXT

Series	Flat Monitor S31C	Flat Monitor S31C	Flat HRM Monitor A800	Flat HRM Monitor S65U
Size	23.8"	27"	26.9"	34"
Panel	IPS	IPS	IPS	VA
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)	3840 x 2160 (UHD 4K)	3440 x 1440 (WQHD/21:9)
Refresh Rate	75Hz	75Hz	60Hz	100Hz
Response Time	5ms	5ms	5ms	5ms
Brightness	250cd/m2	250cd/m2	300cd/m2	300cd/m2
Contrast	1,000:1	1,000:1	1,000:1	4,000:1
Connector	D-sub(VGA)x1,HDMI x1	D-sub(VGA)x1,HDMI x1	HDMIx1,USB-Cx1, USBx3,DPx1	LAN Portx1,HDMIx1,USB-Cx1,USBx3,DPx1
Special Features	FreeSync	FreeSync		USB-C 90W
SRP(inc.VAT)	4,390.-	5,190.-	12,990.-	16,490.-



HAS
Speaker

LS49A950UIEXXT
SSG-LS49A950UIEXXT



HAS
Speaker

LS34BG850SEXXT
SSG-LS34BG850SEXXT



Speaker

LS32BM500EEXXT
SSG-LS32BM500EEXXT



Speaker

LS32BM700UEXXT
SSG-LS32BM700UEXXT

Series	Curved HRM Monitor SA950U	OLED G8 Gaming Curved	Smart Monitor M5	Smart Monitor M7
Size	48.7"	34"	31.5"	31.5"
Panel	VA	OLED	VA	VA
Resolution	5120 x 1440 (Double 2K/32:9)	3440 x 1440 (WQHD/21:9)	1920 x 1080 (Full HD)	3840 x 2160 (UHD 4K)
Refresh Rate	60Hz	175Hz	60Hz	60Hz
Response Time	4ms	0.1ms	4ms	4ms
Brightness	350cd/m2	250cd/m2	250cd/m2	300cd/m2
Contrast	3,000:1	1,000,000:1	3,000:1	3,000:1
Connector	HDMIx2,USB-Cx1, USBx3,DPx1,	HDMI(Mini)x2,USB-Cx2, DP(Mini) x1	HDMIx2,USB-Cx1(65W), USBx3	HDMIx2,USB-Cx1
Special Features	USB-C 90W	IPTV feature, FreeSync Premium	IPTV feature	IPTV feature
SRP(inc.VAT)	29,990.-	54,990.-	7,990.-	12,990.-



HAS
Speaker

LS32BM801UEXXT
SSG-LS32BM801UEXXT



HAS
Speaker

LS32BM80BUEXXT
SSG-LS32BM80BUEXXT



HAS
Speaker

LS32BM80GUEXXT
SSG-LS32BM80GUEXXT



HAS
Speaker

LS32BM80PUEXXT
SSG-LS32BM80PUEXXT

Series	Smart Monitor M8 (White)	Smart Monitor M8 (Blue)	Smart Monitor M8 (Green)	Smart Monitor M8 (Pink)
Size	31.5"	31.5"	31.5"	31.5"
Panel	VA	VA	VA	VA
Resolution	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)
Refresh Rate	60Hz	60Hz	60Hz	60Hz
Response Time	4ms	4ms	4ms	4ms
Brightness	300cd/m2	300cd/m2	300cd/m2	300cd/m2
Contrast	3,000:1	3,000:1	3,000:1	3,000:1
Connector	MicroHDMIx1, USB-Cx1,USBx1	MicroHDMIx1, USB-Cx1,USBx1	MicroHDMIx1, USB-Cx1,USBx1	MicroHDMIx1, USB-Cx1,USBx1
Special Features	IPTV feature	IPTV feature	IPTV feature	IPTV feature
SRP(inc.VAT)	16,990.-	15,990.-	15,990.-	15,990.-

SAMSUNG LED Monitor

3 Years Warranty



เงื่อนไขการรับประกันจอเป็นจุดของ Samsung Monitor กรุณ รับประทานเฉพาะกรณีสินค้าจอที่จุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



HAS
Speaker

LS24AG320NEXXT
SSG-LS24AG320NEXXT



HAS
Speaker

LS27AG320NEXXT
SSG-LS27AG320NEXXT



PIVOT
HAS

LS27CG510EEXXT
SSG-LS27CG510EEXXT



PIVOT
HAS

LS32CG510EEXXT
SSG-LS32CG510EEXXT

Series	G3 Gaming Flat Monitor	Odyssey G3 Gaming Flat	Odyssey G5 Gaming Flat	Odyssey G5 Gaming Flat
Size	23.8"	27"	27"	31.5"
Panel	VA	VA	VA	VA
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)	2560 x 1440 (QHD 2K)	2560 x 1440 (QHD 2K)
Refresh Rate	165Hz	165Hz	165Hz	165Hz
Response Time	1ms	1ms	1ms	1ms
Brightness	250cd/m2	250cd/m2	300cd/m2	300cd/m2
Contrast	3,000:1	3,000:1	3,000:1	3,000:1
Connector	HDMIx1,DPx1	HDMIx1,DPx1	HDMIx2,DPx1	HDMIx2,DPx1
Special Features	FreeSync Premium	FreeSync Premium	FreeSync Premium	FreeSync Premium
SRP(inc.VAT)	5,990.-	8,490.-	10,590.-	12,090.-



PIVOT
HAS
Speaker

LS28BG700EEXXT
SSG-LS28BG700EEXXT



PIVOT
HAS
Speaker

LS32BG702EEXXT
SSG-LS32BG702EEXXT



Tilt
Speaker

LS43CG700NEXXT
SSG-LS43CG700NEXXT



HAS

LS49AG950NEXXT
SSG-LS49AG950NEXXT

Series	Odyssey G7 Gaming Flat	Odyssey G7 Gaming Flat	Odyssey NEO G7 Gaming Flat	Odyssey NEO G9 Gaming Curved
Size	28"	31.5"	43"	48.7"
Panel	VA	VA	VA	VA
Resolution	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)	5,120 x 1,440 (Double 2K/32:9)
Refresh Rate	144Hz	144Hz	144Hz	240Hz
Response Time	1ms	1ms	1ms	1ms
Brightness	300cd/m2	350cd/m2	400cd/m2	420cd/m2
Contrast	1,000:1	1,000:1	1,000,000:1	1,000,000:1
Connector	HDMIx2,DPx1	HDMIx2,DPx1	HDMI x2,DPx1	HDMIx2, USBx2,DPx1
Special Features	FreeSync Premium Pro	FreeSync Premium Pro	FreeSync Premium Pro	G-Sync
SRP(inc.VAT)	22,990.-	26,990.-	33,990.-	56,250.-



HAS
PIVOT

LS55BG970NEXXT
SSG-LS55BG970NEXXT

Series	Odyssey ARK Gaming Curved
Size	55"
Panel	VA
Resolution	3840 x 2160 (UHD 4K)
Refresh Rate	165Hz
Response Time	1ms
Brightness	600cd/m2
Contrast	1,000,000:1
Connector	LAN Portx1, HDMIx4,USBx2
Special Features	FreeSync, HAS Pivot
SRP(inc.VAT)	99,990.-

MONITORS

ACER Monitor

3 Years Warranty and labor



New

LED 19.5" K202HQLbi (TN Panel)
ACR-UMIX2ST003



New

LED 21.5" KA222QBbmiix (VA Panel)
ACR-UMWX2STB01



New

LED 21.5" EK220QBbmiix (VA Panel)
ACR-UMWE0STB01

Display Size	19.5 inch (16:9)	21.5 inch (16:9)	21.5 inch (16:9)
Resolution	1600x900 @60Hz	1920x1080 @75Hz	HDMI: 1920x1080 @75Hz VGA: 1920x1080 @60Hz
Glare	No	No	No
Panel Type	TN	VA	VA
Response time	5ms (on/off)	1ms (VRB)	5ms (G to G)
Contrast	(ACM)100 million: 1 max(Native) : 600:1	100 million: 1 max(Native) : 3,000:1	100 million: 1 max(Native) : 3,000:1
Brightness	200 nits (cd/m2)	250 nits (cd/m2)	250 nits (cd/m2)
Input signal	VGA,HDMI	VGA, HDMI x2, SPK, Audio out	VGA, HDMI x 2
Other	HDMI cable	HDMI Cable	HDMI Cable
Wall mounting	VESA 100x100mm	VESA : 100x100 mm	VESA 75x75 mm
Speaker	N/A	2Wx2	2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	3,390	3,590	3,590



New

LED 21.5" SA222Qbi (VA Panel)
ACR-UMWS2STQ01



New

LED 23.8" SA241YAbi (VA, 75Hz)
ACR-UMQS1STA01

Display Size	21.5 inch (16:9)	23.8 inch (16:9)
Resolution	VGA: 1920x1080@60Hz HDMI: 1920x1080@75Hz	1920x1080 @75Hz
Glare	No	No
Panel Type	VA	VA
Response time	1ms (VRB)	1ms (VRB)
Contrast	(ACM)100 million: 1 max(Native)3,000:1	(ACM) 100 million: 1 max(Native) : 3,000:1
Brightness	250 nits (cd/m2)	250 nits (cd/m2)
Input signal	VGA, HDMI	VGA, HDMI
Other	VGA, HDMI cable	Cable in the box :HDMI
Wall mounting	VESA 75x75mm	VESA N/A
Speaker	1Wx2	N/A
Warranty	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	3,390	3,890



New

Nitro Gaming LED 21.5" VG220QBbmiix (VA,75 Hz)
ACR-UMWV0STB01



New

Nitro Gaming LED 23.8" VG240YSbmiipx (IPS,165 Hz)
ACR-UMQV0STS01

Display Size	21.5" H (16:9)	23.8 inch (16:9)
Resolution	1920 x 1080 @ 75Hz	1920x1080 @144Hz Overclock: 1920x1080 @165Hz
Glare	No	No
Panel Type	VA	IPS
Response time	1ms (VRB)	1ms (G to G)
Contrast	(ACM): 100 million:1 max	(ACM): 100 million: 1 max(Native) : 1,000
Brightness	250 nits (cd/m2)	250 nits (cd/m2)
Input signal	VGA, HDMI x 2,Audio out,SPK	HDMI(2.0) x2, DispalyPort(1.2),Speaker, Audio out
Other	HDMI Cable	DP Cable
Wall mounting	VESA 100 x 100 mm	VESA 100 x 100 mm
Speaker	2Wx2	2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	3,990	5,190

MONITORS

222

ACER Monitor

3 Years Warranty and labor



New

Nitro Gaming LED 23.8"
VG240YSbmiipx (IPS,165 Hz)
 ACR-UMQV0STS01

Display Size	23.8 inch (16:9)
Resolution	Normal 1920x1080 @144Hz Overclock 1920x1080 @165Hz
Glare	No
Panel Type	IPS
Response time	1ms (G to G)
Contrast	(ACM): 100 million: 1 max(Native) : 1,000:
Brightness	250 nits (cd/m2)
Input signal	HDMI(2.0) x2, DisplayPort(1.2), Speaker, Audio out
Other	DP Cable
Wall mounting	VESA 100 x 100 mm
Speaker	2Wx2
Warranty	3 Years Parts & Labor

SRP(inc.VAT) **5,190**

New

Nitro Gaming LED 23.8"
QG241YPbmiipx (VA, 165Hz)
 ACR-UMQQ1STP01



Display Size	23.8 inch (16:9)
Resolution	HDMI1.4:1920x1080@144Hz HDMI2.0:1920x1080 @165Hz
Glare	DP:1920x1080 @165Hz"
Panel Type	No
Response time	VA
Contrast	1ms (VRB)
Brightness	(ACM) : 100 million: 1 max(Native) : 4000 1
Input signal	250 cd/m2
Other	HDMI(1.4), HDMI(2.0) ,DP, Audio Out HDMI Cable
Wall mounting	VESA 100x100mm
Speaker	2Wx2
Warranty	3 Years Parts & Labor

SRP(inc.VAT) **5,390**



New

Nitro Gaming LED 31.5"
XV320QULMbmiiiphx (IPS,165Hz)
 ACR-UMJX0STM01

Display Size	31.5 inch (16:9)
Resolution	HDMI: 2560x1440 @144Hz
Glare	DP: 2560x1440 @165Hz
Panel Type	No
Response time	IPS
Contrast	1ms (G to G), 0.5ms (Min., G to G)
Brightness	(ACM) : 100 million: 1 max(Native) : 1,000:1
Input signal	250 cd/m2
Other	HDMI x2, DP, SPK, Audio out HDMI, DP Cable
Wall mounting	VESA 100x100mm
Speaker	3Wx2
Warranty	3 Years Parts & Labor

SRP(inc.VAT) **10,900**

PHILIPS MONITORS

PHILIPS

ประกัน 3 ปี on site ทุกรุ่น
โทรฟรี 1800-229-009
หรือ Call Center 0-2934-3900



PHL-170S9A/67



PHL-203V5LSB2/97

Panel Type	TFT-LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED system
Aspect Ratio	5:4 (Square)	16:9
Panel Size	17" / 43.2 cm.	19.5 inch / 49.5 cm
Pixel Pitch	0.264 x 0.264 mm	0.26 x 0.26 mm
Brightness	250 cd/m ²	200 cd/m ²
Contrast Ratio (Dynamic)	1,000:1	600. : 1
Response Time	1 ms (GtG)*	5 ms
Display Color	16.7M	16.7 M
Signal Input	DVI-D (digital, HDCP), VGA (Analog)	VGA (Analogue)
Maximum Resolution	1280 x 1024 @ 60Mhz.	1600 x 900 @ 60 Hz
Dimension with stand	367 x 393 x 196 mm	465 x 345 x 170 mm
Weight	2.40 kg (Include packaging 3.66 kg)	2.33 kg
Color	Black	Black
SRP (inc.VAT)	4,190.-	2,620.-



PHL-222B9T/00



PHL-241V8/67

Panel Type	TFT LCD Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	21.5 inch / 54.6 cm	23.8 inch / 60.5 cm
Pixel Pitch	0.364 x 0.364 mm	0.275 x 0.275 mm
Brightness	250 cd/m	250 cd/m ²
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	1 ms (Gray to Gray)	4 ms (GtG)*
Display Color	16.7 M	16.7 M
Signal Input	VGA (Analog), DVI-D (digital, HDCP)	VGA, HDMI, DVI-D
Maximum Resolution	1920 x 1080 @ 60Hz	1920 x 1080 @ 75 Hz*
Dimension with stand	515 x 394 x 227 mm	540 x 416 x 220 mm
Weight		3.06 kg
Color	Black	Black
SRP (inc.VAT)	9,150.-	3,670.-



PHL-271V8/67

Panel Type	IPS Backlight type: W-LED system
Aspect Ratio	16:9
Panel Size	27 inch / 68.6 cm
Pixel Pitch	0.311 x 0.311 mm
Brightness	250 cd/m
Contrast Ratio (Dynamic)	1000.:1
Response Time	4 ms (GtG)*
Display Color	16.7 M
Signal Input	VGA (Analog), HDMI (digital, HDCP)
Maximum Resolution	1920 x 1080 @ 75 Hz*
Dimension with stand	613 x 456 x 231 mm
Weight	3.75 k
Color	Black
SRP (inc.VAT)	4,280.-

MONITORS



224

Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง

Lenovo

	<p>New</p> <p>Lenovo L15 mobile LNV-66E4UAC1WW</p>		<p>New</p> <p>D20-30 LNV-66E9KAC4TH</p>
Display	15.6" WLED IPS (In-Plane Switching)		19.5" WLED TN
Resolution	FHD (1920 x 1080)		1600x900
Aspect Ratio	16:9		16:9
Brightness	250cd/m2		250 cd/m2
Color Gamut	45% NTSC		72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million		16.7 Million
Response Time	Extreme Mode : 6 ms Typical Mode : 14 ms		On 2ms Off 5ms
Anti-Glare	Yes		Yes
Connectivity	Video Signal : 2 x USB Type-C 3.2 Gen1 USB Hub : YesUSB Upstream : 1 x USB2.0 USB Downstream : 1 x USB2.0		Video Input Signal : VGA + HDMI 1.4
Power Supply	External		Internal
Power Voltage			100-240VAC (50-60 Hz)
Weight	Packed:Starting at 1.7 kg Unpacked:Starting at 0.86 kg		Packed:Starting at 3.7 kg Unpacked:Starting at 2.5 kg
Warranty	3 Year Onsite		3 Year Onsite
SRP(inc.VAT)	6,990.-		3,190.-

	<p>New</p> <p>D22e-20 LNV-66D2KAC6TH</p>		<p>New</p> <p>L24e-30 LNV-66BCKAC2TH</p>
Display	21.5" WLED VA		23.8" WLED VA
Resolution	FHD (1920 x 1080)		FHD (1920 x 1080)
Aspect Ratio	16:9		16:9
Brightness	250 cd/m2		250cd/m2
Color Gamut	72% NTSC		72% NTSC
Contrast Ratio	Typical 3000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million		16.7 Million
Response Time	Extreme Mode : 4 ms Normal Mode 6 ms		Extreme Mode : 4 ms Typical Mode : 6 ms
Anti-Glare	Yes		Yes
Connectivity	Video Input Signal : VGA + HDMI 1.4 (Support HDMI Cable In Box Length 1.8 m)		Video Input Signal : VGA + HDMI (Support HDMI Cable In Box Length 1.8 m) Audio Out : Yes
Power Supply	Internal		Internal
Power Voltage	100-240VAC (50-60 Hz)		100-240VAC
Weight	Packed:Starting at 4.10 kg Unpacked:Starting at 2.60 kg		Packed:Starting at 5.42 kg Unpacked:Starting at 3.82 kg
Warranty	3 Year Onsite		3 Year Onsite
SRP(inc.VAT)	3,990.-		4,290.-

	<p>New</p> <p>L27e-30 LNV-66BEKAC2TH</p>		<p>New</p> <p>G24-20 LNV-66CFGAC1TH</p>
Display	27" WLED IPS (In-Plane Switching_3-side NearEdgeless)		23.8" WLED IPS (In-Plane Switching)
Resolution	FHD (1920 x 1080)		FHD (1920 x 1080)
Aspect Ratio	16:9		16:9
Brightness	250cd/m2		Typical : 350 cd/m2
Color Gamut	72% NTSC		72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million		16.7 Million
Response Time	Extreme Mode : 4 ms Typical Mode : 6 ms		1ms (LV1),2ms (LV2), 3ms (LV3),4ms (LV4), 5ms (off), 0.5ms (MPRT)2
Anti-Glare	Yes		Yes
Connectivity	Video Input Signal : VGA + HDMI (Support HDMI Cable In Box Length 1.8 m) Audio Out : Yes		Video Signal : 2 x HDMI 2.0 + 1 xDisplayPort 1.4 Audio Signal : 1 x Audio-Out (35mm.) Tilt Angle : front : -5° / 22°
Power Supply	Internal		Internal
Power Voltage	100-240VAC		AC 100 - 240 VAC (50/60 Hz)
Weight	Packed:Starting at 6.35 kg Unpacked:Starting at 4.53 kg		Packed : Starting at 7.30 kg Unpacked : Starting at 5.30 kg
Warranty	3 Year Onsite		3 Year Onsite
SRP(inc.VAT)	5,890.-		6,290.-

MONITORS 225

Xiaomi : Monitor



Mi Desktop Monitor 1C 23.8"

XMI-BHR4510GL



มาพร้อมทัชพาเนลแบบ IPS
รองรับความละเอียดแบบ 1920x1080 (FullHD)
มุมมองสูงสุด 178 องศา
Aspect Ratio 16:9/Refresh rate 60Hz/6ms response time อนุวัติน GtG
Contrast 1000 : 1/Port : 1xHDMI1.4 , 1xVGA
Flicker Free & Low Blue Light Technology
ปรับกั้น/เงย ได้ 5/15 องศา ตามลำดับ
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
ขนาด 53.92 x 41.95 x 18.12 เซนติเมตร
น้ำหนัก 2.7 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย HDMI, ไขควง, สกรูฐาน 1 ตัว, สกรูขาตั้ง 2 ตัว , คู่มือ

Mi Desktop Monitor 27" EU

XMI-BHR4975EU



มาพร้อมทัชพาเนลแบบ IPS
รองรับความละเอียดแบบ 1920x1080 (FullHD)
มุมมองสูงสุด 178 องศา
Aspect Ratio 16:9/Refresh rate 75Hz/6ms response time อนุวัติน GtG
Contrast 1000 : 1/Port : 1xHDMI1.4 , 1xVGA 1xAudio
Flicker Free & Low Blue Light Technology
ปรับกั้น/เงย ได้ 5/21 องศา ตามลำดับ
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
ขนาด 61.32 x 47.60 x 20.53 เซนติเมตร
น้ำหนัก 4.3 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย HDMI, ไขควง, สกรูฐาน 1 ตัว, สกรูขาตั้ง 2 ตัว , คู่มือ

SRP(inc.VAT) 4,990.-

6,490.-

Mi 2K Gaming Monitor 27 EU

XMI-BHR5039GL



ทัช เกมมิ่งมอนิเตอร์ระดับ 2k ขนาด 27 นิ้ว
ความละเอียดหน้าจอ 2560 x 1440P QHD 2k
Aspect Ratio 16:9 | Refresh Rate ที่ 165 Hz | 4ms response time อนุวัติน GtG
Contrast 1000 : 1/Port: 2xHDMI2.0, 1xDP1.4, 3xUSB Type A 3.0, 1xAudio Jack
ขอบจอที่บาง ทำได้มีมุมมองภาพกว้างถึง 178 องศา
มาตรฐานขายึดแบบ VESA ฟาปิดช่องเสียบสายแบบแม่เหล็ก
รองรับเทคโนโลยี Adaptive-Sync ช่วยเรื่องการเชื่อมต่อกับเกมส์ได้ดีขึ้น
95%DCI-P3,พร้อมความลึกของสีที่ 8bit ให้ภาพที่สมจริงมากขึ้น
เทคโนโลยีลดแสงสีฟ้าที่ได้มาตรฐาน TUV-certified
ขนาด 60.9 x 20 x 46.1
น้ำหนัก 6.53 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ , ขาตั้ง , ฐาน , สาย Display, สายไฟ, สาย USB, สกรูทุกเหลี่ยมx4, น็อตยึดผนังx4, คู่มือ

Mi Curved Gaming Monitor 34"

XMI-BHR5133GL



เกมมิ่งมอนิเตอร์จอโค้ง ขนาด 34 นิ้ว 1500R@144hz
รองรับความละเอียดแบบ 4K Ultrawide (3440x1440) พร้อม 121% sRGB
Aspect Ratio 21:9/Refresh rate 144Hz/4ms response time อนุวัติน GtG
Contrast 3000 : 1/Port : 2xHDMI 2.0 , 2xDP 1.4, 1xAudio
ลดแสงสีฟ้า ทำงาน เล่นเกมส์ได้อย่างยาวนานขึ้น
รองรับเทคโนโลยี AMD Free-Sync ลดอาการ Screen Tearing
รองรับการเชื่อมต่อแบบ DisplayPort, HDMI และ Audio Interface
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
ขนาด 81.04 x 52.06 x 24.25 เซนติเมตร
น้ำหนัก 10.5 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย DP, สกรู 6 เหลี่ยม, น็อต 6 เหลี่ยม , น็อต สำหรับแขวนผนัง

SRP(inc.VAT) 13,990.-

14,990.-

MONITORS

226

AOC Monitor



AOC-27B2H/67



AOC-24B1H2/67

PANEL	27" (IPS)	23.6" (VA)
PIXEL PITCH (MM)	0.3114 (H) × 0.3114 (V)	0.2715 (H) × 0.2715 (V)
BRIGHTNESS (TYPICAL)	250 cd/m ²	250 cd/m ²
CONTRAST RATIO	1000 : 1 (Typical) 20 Million : 1 (DCR)	3000 : 1 (typical) 20 Million : 1 (DCR)
RESPONSE TIME	8ms (GtG (BW))	8ms
DISPLAY COLORS	16.7 Million	16.7 Million
SIGNAL INPUT	VGA × 1, HDMI 1.4 × 1	VGA × 1, HDMI 1.4 × 1
USB HUB	no	no
POWER SUPPLY	19V DC, 1.31A	19VDC, 1.31A
SPEAKERS	no	no
PRODUCT WITH STAND (MM)	456.39 (H) × 612.14 (W) × 182.95(D)	492 (H) × 614 (W) × 131 (D)
PRODUCT WITH STAND (KG)	3.6	3.76
CABINET COLOR	Black	Black
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	4,910.-	3,950.-



AOC-24G2SE/67



AOC-C32G3E/67

PANEL	23.8" (VA)	31.5" (VA)
PIXEL PITCH (MM)	0.2745 (H) × 0.2745 (V)	0.36375 (H) × 0.36375(V)
BRIGHTNESS (TYPICAL)	350 cd/m ²	250 cd/m ²
CONTRAST RATIO	3500 : 1 (Typical) 80 Million : 1 (DCR)	3000 : 1 (Typical) 80 Million : 1 (DCR)
RESPONSE TIME	1ms (MPRT) /4ms (GtG)	1ms (MPRT) / 4ms (GtG)
DISPLAY COLORS	16.7 Million	16.7 Million
SIGNAL INPUT	VGA × 1 / HDMI 1.4 × 2 / DisplayPort 1.2 × 1	HDMI 1.4 × 2, DisplayPort 1.2 x 1
USB HUB	no	no
POWER SUPPLY	100 - 240V 1.5A, 50 / 60Hz	100 - 240V ~ 1.5A, 50 / 60Hz
SPEAKERS	no	no
PRODUCT WITH STAND (MM)	421 (H) × 539.05 (W) × 227.4 (D)	523.7 (H) × 700.5 (W) × 263.8 (D)
PRODUCT WITH STAND (KG)	3.7	6.75
CABINET COLOR	Black & Red	Black & Red
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	5,580.-	8,490.-



AOC-Q32V3S/WS/67



AOC-U28P2U/BS/67

PANEL	31.5" (IPS)	28" (IPS)
PIXEL PITCH (MM)	0.273 (H) × 0.273 (V)	0.16 (H) × 0.16 (V)
BRIGHTNESS (TYPICAL)	250 cd/m ²	300 cd/m ² (typical)
CONTRAST RATIO	1200:1 (Typical) 20 Million : 1 (DCR)	1000 : 1 (Typical) 50 Million : 1 (DCR)
RESPONSE TIME	4ms (GtG)	4ms (GtG)
DISPLAY COLORS	16.7 Million	1.07 Billion
SIGNAL INPUT	HDMI 1.4 x 1, DisplayPort 1.2 x 1	HDMI 2.0 × 2, DisplayPort 1.2 × 1
USB HUB	no	USB3.2 Gen1 × 4
POWER SUPPLY	100 - 240V~1.5A, 50 / 60Hz	100 - 240V ~ 1.5A, 50 / 60Hz
SPEAKERS	no & Earphone Out	no
PRODUCT WITH STAND (MM)	531.6 (H) × 730.2 (W) × 205.4 (D)	404~534 (H) × 636.42 (W) × 200.1 (D)
PRODUCT WITH STAND (KG)	6.79	6.76
CABINET COLOR	White & Silver	Black & Grey
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	8,550.-	11,730.-