

Ruijie

Networks



MACC
Managed @ Cloud Center

Ruijie (รู่เจีย) เริ่มก่อตั้งในปี ค.ศ. 2000 พร้อมก้าวเข้าสู่ตลาด Networks โดยจุดที่ทำให้รู่เจียแตกต่างคือวิธีการนำเสนอสินค้าที่ปรับเปลี่ยนตามความต้องการของลูกค้าในแต่ละอุตสาหกรรม หรือเรียกว่า “Scenario-based Industry Solution” เช่น สิ่งแวดล้อมที่แตกต่าง (สำนักงาน, มหาวิทยาลัย หรือ โรงแรม) ซึ่งตัวแปรอาจไม่ได้ขึ้นอยู่กับแค่ระยะใกล้หรือไกลของสัญญาณ แต่ขึ้นอยู่กับตัวอุปกรณ์ที่ต้องใช้คู่กับสินค้าด้วย รู่เจียมีสินค้าที่สามารถตอบโจทย์ความต้องการของผู้บริโภคได้ทุกรูปแบบ ไม่ว่าจะเป็น Wireless Access Point (อุปกรณ์กระจายสัญญาณแบบไร้สาย), Switch (อุปกรณ์กระจายสัญญาณ), Wireless Controller (อุปกรณ์ควบคุมระบบเครือข่ายไร้สาย), จุดเด่นของรู่เจีย Wireless Access Point มีเทคโนโลยีเสาอากาศอยู่ภายในตัวเครื่อง ซึ่งเป็นสิทธิบัตรเฉพาะของทางแบรนด์ (X-sense Antenna) ซึ่งช่วยลดปัญหาในเรื่องจุดบอดของสัญญาณ (Zero-Dead zone) รวมไปถึงการส่งสัญญาณที่แรงขึ้นเมื่ออุปกรณ์เคลื่อนที่ห่างจาก Access Point และยิ่งกว่านั้นยังมี Cloud Controller (MACC) ที่ช่วยในการ Configuration ได้ง่ายขึ้นเพียงแค่ใส่ Serial Number จากตัวเครื่อง ทางรู่เจียรับประกันของอุปกรณ์ในรูปแบบของฮาร์ดแวร์ 3 ปีโดยในปีแรกสามารถเปลี่ยนสินค้าใหม่ได้ หลังจากมีการตรวจสอบ และภายในปีที่สองและสาม อุปกรณ์จะถูกส่งกลับไปประเทศจีน เพื่อซ่อมแซม แต่ในระหว่างนั้นทางเรามีเครื่องสำรองให้ระหว่างรอสินค้า



SIS Distribution (Thailand) PCL.
Tel : 02-020-3000
www.sisthai.com



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

Outdoor Access Point

**RG-AP680(CD)**

- Wi-Fi 6 Certified 802.11ax
- 4x4 MIMO 4 Spatial streams
- Built-in Smart Directional Antenna
- Throughput Up to 2.4Gbps per AP
- Max 1024 Client connections
- Outstanding Environmental Adaptability (IP68, Surge Protection upto 9kV)

**RG-EST310 V2**

- 802.11ac Wireless Bridge
- 5GHz Single-band Dual-stream
- 2x2 MIMO 2 Spatial streams
- Built-in directional antennas
- Throughput Up to 867Mbps at 5GHz
- IP65 Protection
- V-0 Flammability Standard
- Included 2 devices in package

Indoor Access Point

**RG-AP720-L**

- 802.11ac Wave 2
- 2x2 MIMO 2 spatial streams
- Dual band dual radio
- Throughput up to 1267Mbps

**RG-AP820-L(V2)**

- Wi-Fi 6 (802.11ax)
- 1 10/100/1000M Ethernet Ports, PoE In
- 1 1G/2.5G SFP Uplink Port
- Dual-radio Dual-band
- Up to 4 Spatial Streams

**RG-RAP2200(E)**

- AC1300 Dual Band
- 802.11ac wave2
- 2.4G 2x2MIMO 5G 2x2MIMO
- Access rate up to 1.267Gbps per AP

**RG-RAP2260-G**

- AX1800 Wi-Fi 6
- Dual Gigabit LAN Uplink Ports
- Up to 1775Mbps Access Rate per AP
- Layer 3 Roaming

**RG-E-130(GE)**

- PoE adapter
- 1 100Base-T port
- PoE+ / 802.3af standard

**RG-E-120(GE)**

- PoE adapter
- 1 100Base-T port
- PoE+ / 802.3af standard

Wallplate Access Point

**RG-AP130(W2)**

- 802.11ac Wave 2 wallplate AP
- 2x2 MIMO 2 spatial streams
- Dual band dual radio
- Throughput up to 1167Mbps
- 4 100Base-T downlink

**RG-RAP1200(F)**

- AC1300 Dual Band
- 802.11b/g/n/ac
- 2.4G 2x2MIMO 5G 2x2MIMO
- Access rate up to 1267Mbps per AP.

**RG-RAP1200(P)**

- AC1300 Dual Band
- 802.11b/g/n/ac
- 2.4G 2x2MIMO 5G 2x2MIMO
- Access rate up to 1267Mbps per AP.
- 802.3af/at PoE support

Home Wi-Fi Router

**RG-EW1200G Pro**

- 1300M Dual-band Gigabit Wireless Router
- Wi-Fi standard 802.11ac Wave2
- Access rate up to 1267Mbps per AP.
- Enables stable 4K streaming and online gaming
- Seamless Layer 3 Roaming supported
- Exclusive Reyee Mesh networking technology

**RG-EW1200**

- 1200M Dual-band Megabit Wireless Router
- 802.11ac Wave2 MU-MIMO technology
- Maximum access bandwidth of 100Mbps
- Seamless Layer 3 Roaming supported
- Exclusive Reyee Mesh networking technology

Access Controller

**RG-WS6816**

- 128 Aps management by default
- Up to 2560 Aps management
- 8 Combo ports 4 10GE SFP ports
- 2 expansion modules
- Dual redundancy power supply

**RG-WS6108**

- 32 Aps management by default
- Up to 320 Aps management
- 8 100Base-T and 2 100Base-X (combo)

**RG-WS6008**

- 32 Aps management by default
- Up to 200 Aps management
- 6 100Base-T and 2 100Base-X

Switch

**RG-ES08G**

- Plastic Case
- Unmanaged Switches
- 8-Port Gigabit

**RG-ES209GC-P**

- Cloud Managed Smart Switch
- 9-Port Gigabit
- including 8 PoE/POE+ Ports
- 120W PoE power budget

**RG-NBS3100-8GT2SFP-P**

- L2 Managed POE Switch
- 8-Port Gigabit, 2 SFP Slots
- including 8 PoE/POE+ Ports
- 125W PoE Power budget

Gateway

**RG-EG2100-P**

- Routing/NAT/VPN
- 8 GE ports upto 7x POE/POE+
- FREE Layer 7 DPI
- Max 1,000Mbps Throughput

**RG-EG3250**

- Routing/NAT/VPN
- 8 GE ports, 1x10G SFP+
- FREE Layer 7 DPI
- 1T Storage
- Max 6,800Mbps Throughput

Unmanaged Fast Ethernet Switch



Brand	D-Link	D-Link	D-Link	D-Link
Part	DES-1005C	DES-1024D	DES-1008C	DES-1016D
Sale Code	DLK-DES-1005C	DLK-DES-1024D	DLK-DES-1008C	DLK-DES-1016D
Ports	5 port	24 ports	8 ports	16 ports
Other		Metalic, Rackmountable	Plastic	Metalic, Rackmountable
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	240	1,340	290	1,100



Brand	Tenda	Mercusys	Mercusys
Part	TEF1024D	MS108	MS105
Sale Code	TND-TEF1024D	MSS-MS108	MSS-MS105
Ports	24 port 10/100	8 Ports	5 Port
Other	Metal Model / Rack Switch / MAC Address 4K / Switch Capacity 4.8 Gbps	Plastic	Plastic
Warranty	5 Years	1 Year	1 Year
SRP (inc. VAT)	1,390	239	199

PoE Injector



Brand

Part

Sale Code

Feature

Warranty

SRP (inc. VAT)

Tenda

PoE30G-AT

TND-PoE30G-AT

Power Output : 51 VDC 30W

รองรับสาย Lan สูงสุด 100 เมตร

5 Years

749

Tenda

PoE15F

TND-PoE15F

Power Output : 48 VDC 15W

รองรับสาย Lan สูงสุด 100 เมตร

5 Years

399

Unmanaged Gigabit Switch



Brand	ZyXEL	ZyXEL	ZyXEL	ZyXEL
Part	GS1100-24E	GS-105BV3	GS-108BV3	GS-1100-16
Sale Code	ZXL-GS1100-24E	ZXL-GS-105Bv3	ZXL-GS-108BV3	ZXL-GS-1100-16
Ports	24 ports	5 ports	8 ports	16 ports
Other	Metalic, Rackmountable	Metalic	Metalic	Metalic, Rackmountable
Warranty	2 Year	2 Year	2 Year	2 Year
SRP (inc. VAT)	3,660	648	940	3,050

Unmanaged Gigabit Switch



Brand	D-Link	D-Link	D-Link	D-Link
Part	DGS-1005A	DGS-1008A	DGS-1016C	DGS-1024C
Sale Code	DLK-DGS-1005A	DLK-DGS-1008A	DLK-DGS-1016C	DLK-DGS-1204C
Ports	5 ports	8 ports	16 ports	24 ports
Other			Metalic, Rackmountable	Metalic, Rackmountable
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	480	720	2,200	2,870



Brand	Tenda	Tenda	Tenda	Tenda
Part	SG105	TEG1016D	TEG1024D	TEG1126P-24-410W
Sale Code	TND-SG105	TND-TEG1016D	TND-TEG1024D	TND-TEG1126P
Ports	5 port 10/100/1000	16 port 10/100/1000	24 port 10/100/1000	24 port 10/100/1000 + 2SFP slot
Other	Plastic Model MAC Address 4K Switch Capacity 10 Gbps	Metal Model / Rack Switch / MAC Address 4K / Switch Capacity 16 Gbps	Metal Model / Rack Switch / MAC Address 8K / Switch Capacity 48 Gbps	รองรับ PoE 24 port MAC Address 8K Switch Capacity 48 Gbps
Warranty	5 Years	5 Years	5 Years	5 Year
SRP (inc. VAT)	449	2,140	2,836	10,432



Brand	Mercusys	Mercusys
Part	MS108G	MS105G
Sale Code	MSS-MS108G	MSS-MS105G
Ports	8 ports	5 Ports
Other	Plastic	Plastic
Warranty	1 Year	1 Year
SRP (inc. VAT)	499	329

Manage Fast Ethernet Switch



Brand	D-Link	D-Link	D-Link	D-Link
Part	DES-1210-28P	DGS-1210-26	DGS-1210-28	DGS-1210-52
Sale Code	DLK-DES-1210-28P	DLK-DGS-1210-26	DLK-DGS-1210-28	DLK-DGS-1210-52
Ports	24 ports 10/100, 2 ports 10/100/1000	24 ports 10/100/100, 2 ports SFP	24 ports 10/100/100, 4 ports SFP	48 ports 10/100/100, 4 ports SFP
GBIC or SFP Slot	2 ports	2 ports	4 ports	4 ports
Capacity(Gbps)	12.8 Gbps	-	56 Gbps	104 Gbps
Throughput(Mbps)				
MAC Address	8K	16,000 entries	16,000 entries	16,000 entries
Other	Power Budget 193 Watts, IGMP v1/ v2 Snooping, 802.1p QoS, Bandwidth Control, Loopback Detection, Link Aggregation, ACL, SNMP	-	-	-
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	12,590	7,200	7,900	15,900

Manage Gigabit Switch



Brand	D-Link	D-Link
Part	DGS-1100-08	DGS-1100-08P
Sale Code	DLK-DGS-1100-08	DLK-DGS-1100-08P
Ports	8 Ports	8 Ports (PoE 8 ports)
GBIC or SFP Slot		
Capacity(Gbps)	16 Gbps	16 Gbps
Throughput(Mbps)		
MAC Address	8K	8K
VLAN	128 VLAN	128 VLAN
Other		Power Budget 64 Watts
Warranty	Limited Lifetime	Limited Lifetime

SRP (inc. VAT)	1,963	5,300
-----------------------	-------	-------



Brand	D-Link	D-Link
Part	DGS-1210-28P	DGS-1210-10P
Sale Code	DLK-DGS-1210-28P	DLK-DGS-1210-10P
Ports	24 ports 10/100/1000, 4 ports SFP	8 ports 10/100/1000, 2 ports SFP
GBIC or SFP Slot	4 ports	2 ports
Capacity(Gbps)	56 Gbps	20 Gbps
Throughput(Mbps)		
MAC Address	8,000 entries	8,000 entries
VLAN	-	-
Other		
Warranty	Limited Lifetime	Limited Lifetime

SRP (inc. VAT)	15,800	7,690
-----------------------	--------	-------



Brand	D-Link	D-Link
Part	DGS-1100-24P	DGS-1210-52P
Sale Code	DLK-DGS-1100-24P	DLK-DGS-1210-52P
Ports	24 Ports (PoE 12 ports)	48 Ports (PoE 48 ports)
GBIC or SFP Slot		4 Ports
Capacity(Gbps)	48 Gbps	
Throughput(Mbps)		
MAC Address	8K	16K
VLAN	128 VLAN	256 VLAN
Other	Power Budget 100 W	Power Budget 193 W
Warranty	Limited Lifetime	Limited Lifetime

SRP (inc. VAT)	10,800	27,400
-----------------------	--------	--------

HPE OfficeConnect Switch



Brand	HPE OfficeConnect	HPE OfficeConnect	HPE OfficeConnect
Model	HPE 1420 5G Switch	HPE 1420 5G PoE+ (32W) Switch	HPE 1420 8G Switch
Part Number	JH327A	JH328A	JH329A
Ports	5 x 10/100/1000 ports	5 x 10/100/1000 ports (ports 1-4 support PoE+)	8 x 10/100/1000 ports
Management	Layer 2 - Unmanaged	Layer 2 - Unmanaged	Layer 2 - Unmanaged
Throughput	7.4 Mpps	7.4 Mpps	11.8 Mpps
Switching capacity	10 Gbps	10 Gbps	16 Gbps
SRP (inc. VAT)	1,160	3,280	1,640



Brand	HPE OfficeConnect	HPE OfficeConnect	HPE OfficeConnect
Model	HPE 1420 8G PoE+ (64W) Switch	HPE 1420 16G Switch	HPE 1420 24G 2SFP Switch
Part Number	JH330A	JH016A	JH017A
Ports	8 x 10/100/1000 PoE+ ports	16 x 10/100/1000 ports	24 x 10/100/1000 ports, 2 SFP ports
Management	Layer 2 - Unmanaged	Layer 2 - Unmanaged	Layer 2 - Unmanaged
Throughput	11.8 Mpps	23.8 Mpps	38.7 Mpps
Switching capacity	16 Gbps	32 Gbps	52 Gbps
SRP (inc. VAT)	5,165	4,588	6,824

Aruba Instant On 1830 Switch Series



Brand	Aruba Instant On	Aruba Instant On	Aruba Instant On
Model	Aruba Instant On 1830 8G Switch	Aruba Instant On 1830 24G 2SFP Switch	Aruba Instant On 1830 48G 4SFP Switch
Part Number	JL810A	JL812A	JL814A
Ports	8 x 10/100/1000 ports	24 x 10/100/1000 ports, 2 SFP ports	48 x 10/100/1000 ports, 4 SFP ports
Management	Layer 2 - Smart Managed	Layer 2 - Smart Managed	Layer 2 - Smart Managed
Throughput	11.9 Mpps	36.68 Mpps	77.37 Mpps
Switching capacity	16 Gbps	52 Gbps	104 Gbps
SRP (inc. VAT)	4,400	10,500	19,900



Brand	Aruba Instant On	Aruba Instant On	Aruba Instant On
Model	Aruba Instant On 1830 8G 4p CL4 PoE 65W Switch	Aruba Instant On 1830 24G 12p CL4 PoE 2SFP 195W Switch	Aruba Instant On 1830 48G 24p CL4 PoE 4SFP 370W Switch
Part Number	JL811A	JL813A	JL815A
Ports	4 x 10/100/1000 ports 4 x 10/100/1000 PoE+ ports	12 x 10/100/1000 ports 12 x 10/100/1000 PoE+ ports 2 SFP ports	24 x 10/100/1000 ports 24 x 10/100/1000 PoE+ ports 4 SFP ports
Management	Layer 2 - Smart Managed	Layer 2 - Smart Managed	Layer 2 - Smart Managed
Throughput	11.9 Mpps	36.68 Mpps	77.37 Mpps
Switching capacity	16 Gbps	52 Gbps	104 Gbps
SRP (inc. VAT)	8,300	17,800	25,400

Aruba Instant On Switch



Brand	Aruba Instant On	Aruba Instant On	Aruba Instant On
Model	Aruba IOn 1930 8G 2SFP Switch	Aruba IOn 1930 24G 4SFP+ Switch	Aruba IOn 1930 48G 4SFP+ Switch
Part Number	JL680A	JL682A	JL685A
Ports	8 RJ-45 autosensing 10/100/1000 2 SFP 1GbE ports	24 RJ-45 autosensing 10/100/1000 4 SFP+ 1/10GbE ports	48 RJ-45 autosensing 10/100/1000 4 SFP+ 1/10GbE ports
Management	Layer 2+ Smart Managed	Layer 2+ Smart Managed	Layer 2+ Smart Managed
Throughput	14.88 Mpps	95.23 Mpps	130.95 Mpps
Switching capacity	20 Gbps	128 Gbps	176 Gbps
SRP (inc. VAT)	5,500	11,300	19,800



Brand	Aruba Instant On	Aruba Instant On	Aruba Instant On
Model	Aruba IOn 1930 8G 2SFP POE 124W	Aruba IOn 1930 24G 4SFP+ POE 195W	Aruba IOn 1930 24G 4SFP+ POE 370W
Part Number	JL681A	JL683A	JL684A
Ports	8 RJ-45 autosensing 10/100/1000 PoE+ 2 SFP 1GbE ports PoE Power Budget 124 Watts	24 RJ-45 autosensing 10/100/1000 PoE+ 4 SFP+ 1/10GbE ports PoE Power Budget 195 Watts	24 RJ-45 autosensing 10/100/1000 PoE+ 4 SFP/SFP+ PoE Power Budget 370 Watts
Management	Layer 2+ Smart Managed	Layer 2+ Smart Managed	Layer 2+ Smart Managed
Throughput	14.88 Mpps	95.23 Mpps	95.23 Mpps
Switching capacity	20 Gbps	128 Gbps	128 Gbps
SRP (inc. VAT)	9,600	19,800	25,300



Brand	Aruba Instant On	HPE OfficeConnect	HPE OfficeConnect
Model	Aruba IOn 1930 48G 4SFP+ POE 370W	Aruba IOn 1960 12XGT 4SFP+ Switch	Aruba IOn 1960 24G 2XGT 2SFP+ Switch
Part Number	JL686A	JL805A	JL806A
Ports	48 RJ-45 autosensing 10/100/1000 PoE+ 4 SFP+ 1/10GbE ports PoE Power Budget 370 Watts	12 RJ-45 autosensing 100/1000/10GBASE-T ports	24 RJ-45 autosensing 10/100/1000 Mbps ports
Management	Layer 2+ Smart Managed	Layer 3 Lite - Smart Managed	Layer 3 Lite - Smart Managed
Throughput	130.95 Mpps	238 Mpps	95 Mpps
Switching capacity	176 Gbps	320 Gbps	128 Gbps
SRP (inc. VAT)	37,000	66,200	31,100






Brand	Aruba Instant On	Aruba Instant On	Aruba Instant On
Model	Aruba IOn 1960 48G 2XGT 2SFP+ Switch	Aruba IOn 1960 24G 2XGT 2SFP+ Switch	Aruba IOn 1960 48G 2XGT 2SFP+ Switch
Part Number	JL808A	JL807A	JL809A
Ports	48 RJ-45 autosensing 10/100/1000 Mbps ports	24 RJ-45 autosensing 10/100/1000 Mbps ports including 20 CL4 and 4 CL6 PoE ports	48 RJ-45 autosensing 10/100/1000 Mbps ports including 40 CL4 and 8 CL6 PoE ports
Management	Layer 3 Lite - Smart Managed	Layer 3 Lite - Smart Managed	Layer 3 Lite - Smart Managed
Throughput	131 Mpps	95 Mpps	131 Mpps
Switching capacity	176 Gbps	128 Gbps	176 Gbps
SRP (inc. VAT)	53,500	46,100	79,200




Aruba CX Switch






Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba 6000 12G CL4 2SFP 139W Switch	Aruba 6000 24G 4SFP Switch	Aruba 6000 24G CL4 4SFP Switch
Part Number	R8N89A	R8N88A	R8N87A
Ports	12x ports 10/100/1000BASE-T Ports 2x 1G SFP ports 2x 1GbE ports	24x ports 10/100/1000BASE-T Ports 4x 1G SFP ports	24x ports 10/100/1000BASE-T Ports 4x 1G SFP ports Supports PoE 802.3af, 802.3at
Network OS	ArubaOS-CX	ArubaOS-CX	ArubaOS-CX
Management	Layer 2 - Fully Managed	Layer 2 - Fully Managed	Layer 2 - Fully Managed
Throughput	32 Gbps	56 Gbps	56 Gbps
Switching capacity	23.8 Mpps	41.6 Mpps	41.6 Mpps
SRP (inc. VAT)	28,700	26,400	52,700



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba 6000 48G 4SFP Switch	Aruba 6000 48G CL4 4SFP Switch	Aruba 6100 24G 4SFP+ Switch
Part Number	R8N86A	R8N85A	JL678A
Ports	48x ports 10/100/1000BASE-T Ports 4x 1G SFP ports	48x ports 10/100/1000BASE-T Ports 4x 1G SFP ports Supports PoE 802.3af, 802.3at	24x ports 10/100/1000BASE-T Ports 4x 1G/10G SFP ports
Network OS	ArubaOS-CX	ArubaOS-CX	ArubaOS-CX
Management	Layer 2 - Fully Managed	Layer 2 - Fully Managed	Layer 2 - Fully Managed
Throughput	104 Gbps	104 Gbps	128 Gbps
Switching capacity	77.3 Mpps	77.3 Mpps	95.2 Mpps
SRP (inc. VAT)	44,600	71,300	50,200



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba 6100 24G CL4 4SFP+ Switch	Aruba 6100 48G 4SFP+ Switch	Aruba 6100 48G CL4 4SFP+ Switch
Part Number	JL677A	JL676A	JL675A
Ports	24x ports 10/100/1000BASE-T Ports 4x 1G/10G SFP ports Supports PoE 802.3af, 802.3at	48x ports 10/100/1000BASE-T Ports 4x 1G/10G SFP ports	48x ports 10/100/1000BASE-T Ports 4x 1G/10G SFP ports Supports PoE 802.3af, 802.3at
Network OS	ArubaOS-CX	ArubaOS-CX	ArubaOS-CX
Management	Layer 2 - Fully Managed	Layer 2 - Fully Managed	Layer 2 - Fully Managed
Throughput	128 Gbps	176 Gbps	176 Gbps
Switching capacity	95.2 Mpps	98.6 Mpps	98.6 Mpps
SRP (inc. VAT)	60,600	73,900	92,300



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba 6200F 24G 4SFP+ Switch	Aruba 6200F 24G Class4 PoE 4SFP+ 370W Switch	Aruba 6200F 48G 4SFP+ Switch
Part Number	JL724A	JL725A	JL726A
Ports	24x ports 10/100/1000BASE-T Ports 4x 1/10G SFP ports	24x ports 10/100/1000BASE-T Ports 4x 1/10G SFP ports Supports PoE 802.3af, 802.3at	48x ports 10/100/1000BASE-T Ports 4x 1/10G SFP ports
Network OS	ArubaOS-CX	ArubaOS-CX	ArubaOS-CX
Management	Layer 3 Dynamic - Fully Managed	Layer 3 Dynamic - Fully Managed	Layer 3 Dynamic - Fully Managed
Throughput	128 Gbps	128 Gbps	176 Gbps
Switching capacity	95.2 Mpps	95.2 Mpps	130.9Mpps
SRP (inc. VAT)	123,000	150,000	183,000

H3C SMB Switch



Advance RMA 1 Year



Advance RMA 1 Year



Advance RMA 1 Year

Model	S1850-10P	S1850-28P	S1850-28P-PWR
Part	H3C-9801A1Q6	H3C-9801A1Q8	H3C-9801A1Q1
Port	8 x 10/100/1000 BASE-T 2 x 100/1000 BASE-X SFP	24 x 10/100/1000 BASE-T 4 x 100/1000 BASE-X SFP	24 x 10/100/1000 BASE-T (PoE+) 4 x 100/1000 BASE-X SFP
Switch Capacity (Gbps)	20	56	56
Throughput (Mpps)	15	42	42
MAC Address	8K	8K	8K
Common Features	Layer2 Static Routing, Web Manage	Layer2 Static Routing, Web Manage	Layer2 Static Routing, Web Manage
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	5,300	11,800	21,000



Advance RMA 1 Year



Advance RMA 1 Year



Advance RMA 1 Year

Model	S1850-52P	S5016PV3-EI	S5024PV3-EI
Part	H3C-9801A1Q5	H3C-9801A1QR	H3C-9801A1QT
Port	48 x 10/100/1000 BASE-T 4 x 100/1000 BASE-X SFP	16 x 10/100/1000BASE-T 4 x 100/1000BASE-X	24 x 10/100/1000BASE-T 4 x 100/1000BASE-X
Switch Capacity (Gbps)	104	40	56
Throughput (Mpps)	78	30	42
MAC Address	16K	16K	16K
Common Features	Layer2 Static Routing, Web Manage	Layer2 Static Routing, CLI	Layer2 Static Routing, CLI
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	23,300	11,400	13,600



Advance RMA 1 Year



Advance RMA 1 Year



Advance RMA 1 Year



Advance RMA 1 Year

Model	S5048PV3-EI	S5024PV3-EI-PWR	S5024PV3-EI-HPWR	S5048PV3-EI-PWR
Part	H3C-9801A1QV	H3C-9801A1QF	H3C-9801A1QH	H3C-9801A1QQ
Port	48 x 10/100/1000BASE-T 4 x 100/1000BASE-X	24 x 10/100/1000BASE-T (190W PoE) 4 x 1000BASE-X	24 x 10/100/1000BASE-T (385W PoE) 4 x 1000BASE-X	48 x 10/100/1000BASE-T (385W PoE) 4 x 1000BASE-X
Switch Capacity (Gbps)	104	56	56	104
Throughput (Mpps)	78	42	42	78
MAC Address	16K	16K	16K	16K
Common Features	Layer2 Static Routing, CLI	Layer2 Static Routing, CLI	Layer2 Static Routing, CLI	Layer2 Static Routing, CLI
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	23,900	24,400	25,600	37,100

H3C Campus Switch



Model	S5130S-10P-EI	S5130S-10P-HPWR-EI	S5130S-12TP-EI	S5130S-12TP-HPWR-EI
Part	H3C-9801A1N7	H3C-9801A1NF	H3C-9801A1NB	H3C-9801A1NC
Port	8 x 10/100/1000 BASE-T 2 x 100/1000 BASE-X SFP	8 x 10/100/1000BASE-T (125W PoE) 2 x 100/1000 BASE-X SFP	8 x 10/100/1000BASE-T 4 x 100/1000 BASE-X SFP (2 combo ports)	8 x 10/100/1000BASE-T (125W PoE) 4 x 100/1000 BASE-X SFP (2 combo ports)
Switch Capacity (Gbps)	336	336	336	336
Throughput (Mpps)	15	15	18	18
MAC Address	16K	16K	16K	16K
Common Features	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	19,700	27,700	23,000	32,800



H3C Campus Switch



Model	S5130S-20P-EI	S5130S-20P-PWR-EI	S5130S-28S-EI	S5130S-52S-EI	S5130S-28P-EI
Part	H3C-9801A1MN	H3C-9801A1MR	H3C-9801A1NG	H3C-9801A1NH	H3C-9801A1N5
Port	16 x 10/100/1000 BASE-T 4 x 100/1000 BASE-X SFP	16 x 10/100/1000 BASE-T (210W PoE) 4 x 100/1000 BASE-X SFP	24 x 10/100/1000 BASE-T 4 x 1/10G BASE-X SFP+	48 x 10/100/1000 BASE-T 4 x 1/10G BASE-X SFP+	24 x 10/100/1000 BASE-T 4 x 100/1000 BASE-X SFP
Switch Capacity (Gbps)	336	336	336	336	336
Throughput (Mpps)	30	30	96	132	42
MAC Address	16K	16K	16K	16K	16K
Common Features	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	29,600	39,200	50,600	78,200	32,300



Model	S5130S-52P-EI	S5130S-28P-PWR-EI	S5130S-28P-HPWR-EI	S5130S-28S-PWR-EI
Part	H3C-9801A1N3	H3C-9801A1MW	H3C-9801A1MV	H3C-9801A1NE
Port	48 x 10/100/1000BASE-T 4 x 100/1000 BASE-X SFP	24 x 10/100/1000BASE-T (190W PoE) 4 x 100/1000 BASE-X SFP	24 x 10/100/1000BASE-T (370W PoE) 4 x 100/1000 BASE-X (Combo) SFP	24 x 10/100/1000BASE-T (190W PoE) 4 x 1/10G BASE-X SFP+
Switch Capacity (Gbps)	336	336	336	336
Throughput (Mpps)	78	42	42	96
MAC Address	16K	16K	16K	16K
Common Features	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	59,900	43,700	48,300	62,200



Model	S5130S-28S-HPWR-EI	S5130S-52P-PWR-EI	S5130S-52S-PWR-EI	S5130S-52F-EI
Part	H3C-9801A1N8	H3C-9801A1MQ	H3C-9801A1N2	H3C-9801A1ND
Port	24 x 10/100/1000BASE-T (370W PoE) (4 Combo ports) 4 x 1/10G BASE-X SFP+	48 x 10/100/1000BASE-T (370W PoE) 4 x 100/1000 BASE-X SFP	48 x 10/100/1000BASE-T (370W PoE) 4 x 1/10G BASE-X SFP+	48 x 1G BASE-X SFP (2 combo ports) 4 x 1/10G BASE-X SFP+
Switch Capacity (Gbps)	336	336	336	336
Throughput (Mpps)	96	78	132	132
MAC Address	16K	16K	16K	16K
Common Features	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, 1K IPV4 Routing Table
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	69,000	80,000	101,200	87,200



Model	S5130S-28S-HI	S5130S-52S-HI	S5130S-28S-PWR-HI	S5130S-52S-PWR-HI
Part	H3C-9801A1MP	H3C-9801A1MK	H3C-9801A1MM	H3C-9801A1ML
Port	24 x 10/100/1000BASE-T (8 combo ports) 4 x 1/10G BASE-X SFP+ 2 power module slots	48 x 10/100/1000BASE-T 4 x 1/10G BASE-X SFP+ 2 power module slots	24 x 10/100/1000BASE-T POE+ (8 combo ports) 4 x 1/10G BASE-X SFP+ 2 power module slots	48 x 10/100/1000 BASE-T, PoE+ 4 x 1G/10G BASE-X SFP+
Switch Capacity (Gbps)	336	336	336	336
Throughput (Mpps)	96	132	96	132
MAC Address	16K	16K	16K	16K
Common Features	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, SDN, 1K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, SDN, 1K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, SDN, 1K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3-lite, Smart MC, IRF3.1, OSPF, RIP, SDN, 1K IPV4 Routing Table, Dual Modular Power Supplies
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	79,000	117,300	81,600	132,600



H3C Campus Switch



				
Model	S5560S-28S-EI	S5560S-52S-EI	S5560S-28P-EI	S5560S-52P-EI
Part	H3C-9801A1NA	H3C-9801A1N6	H3C-9801A1N4	H3C-9801A1N9
Port	24 × 10/100/1000BASE-T (8 × combo ports) 4 × 1/10G BASE-X SFP+	48 × 10/100/1000BASE-T 4 × 1/10G BASE-X SFP+	24 × 10/100/1000BASE-T (8 × combo ports) 4 × 1G BASE-X SFP	48 × 10/100/1000BASE-T 4 × 1G BASE-X SFP
Switch Capacity (Gbps)	598	598	598	598
Throughput (Mpps)	96	132	42	78
MAC Address	16K	16K	16K	16K
Common Features	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS-IS, BGP, VRRP, SDN, 12K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS-IS, BGP, VRRP, SDN, 12K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS-IS, BGP, VRRP, SDN, 12K IPV4 Routing Table, Dual Modular Power Supplies	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS-IS, BGP, VRRP, SDN, 12K IPV4 Routing Table, Dual Modular Power Supplies
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	81,800	121,100	69,000	103,800

				
Model	S5560X-30C-EI	S5560X-54C-EI	S5560X-30C-PWR-EI	S5560X-54C-PWR-EI
Part	H3C-0235A3MS	H3C-0235A3MP	H3C-0235A3MQ	H3C-0235A3MT
Port	24 × 10/100/1000 BASE-T (8 × com- bo ports) 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots, and 2 × power module slots	48 × 10/100/1000 BASE-T 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots, and 2 × power module slots	24 × 10/100/1000 BASE-T (PoE) 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots, 2 × power module slots	48 × 10/100/1000 BASE-T (PoE) 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots, and 2 × power module slots
Switch Capacity (Gbps)	598	598	598	598
Throughput (Mpps)	216 / 222	252	216 / 222	252
MAC Address	64K	64K	64K	64K
Common Features	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	125,800	223,000	135,100	250,000

				
Model	S5560X-30F-EI	S5560X-54F-EI	S5560X-34S-EI	S5560X-54S-EI
Part	H3C-0235A3MU	H3C-0235A3MR	H3C-0235A3MN	H3C-0235A3MV
Port	24 × 100/1000 BASE-X SFP (8 × combo ports) 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots 2 × power module slots	48 × 10/1000 BASE-X SFP 4 × 1/10G BASE-X SFP+ 1 × expansion slot, 2 × fan tray slots 2 × power module slots	28 × 10/100/1000BASE-T (4 × combo ports) 4 × 1/10G BASE-X SFP+ 2 × 40G QSFP+	48 × 10/100/1000BASE-T 4 × 1/10G BASE-X SFP+ 2 × 40G QSFP+
Switch Capacity (Gbps)	598	598	598	598
Throughput (Mpps)	216 / 222	252	222	252
MAC Address	64K	64K	64K	64K
Common Features	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays	Layer 3, Smart MC, IRF3.1, OSPF, RIP, IS- IS, BGP, VRRP, SDN, VxLAN, EVPN, 32K IPV4 Routing Table, Embedded AC, Dual Modular Power Supplies, Dual Fan Trays
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	144,600	282,400	117,300	153,700

				
Model	S6520X-30QC-EI	S6520X-54QC-EI	S6520X-30QC-HI	S6520X-54QC-HI
Part	H3C-0235A3P0	H3C-0235A3P2	H3C-0235A3P3	H3C-0235A3P1
Port	24 × 1G/10G BASE-X SFP+ 2 × 40G QSFP+ 2 × expansion slot	48 × 1G/10G BASE-X SFP+ 2 × 40G QSFP+ 2 × expansion slot	24 × 1G/10G BASE-X SFP+ 2 × 40G QSFP+ 2 × expansion slot	48 × 1G/10G BASE-X SFP+ 2 × 40G QSFP+ 2 × expansion slot
Switch Capacity (Gbps)	960	1440	2.56 Tbps	2.56 Tbps
Throughput (Mpps)	720	1080	720	1080
MAC Address	128K	128K	256K	256K
Common Features	Layer 3, 10G/40G, Smart MC, IRF3.1, SDN, VxLan, EVPN, MPLS, 64K IPV4 routing table	Layer 3, 10G/40G, Smart MC, IRF3.1, SDN, VxLan, EVPN, MPLS, 64K IPV4 routing table	Layer 3, 10G/40G, Smart MC, IRF3.1, SDN, VxLan, EVPN, MPLS, 128K IPV4 routing table	Layer 3, 10G/40G, Smart MC, IRF3.1, SDN, VxLan, EVPN, MPLS, 128K IPV4 routing table
Warranty	5 Years Carry in	5 Years Carry in	5 Years Carry in	5 Years Carry in
SRP (inc. VAT)	182,800	235,500	218,100	280,300